



Federal Communications Commission

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: January 1, 2012 - December 31, 2012

Filing Confirmation Number: 0005604208

Filing Deadline: January 15, 2013

FRN: 0001665835

Filing Date: 01/15/2013 11:05 AM

General Report Information

Type of Company

Service Provider

De Minimis Exception

Did you offer any handsets to subscribers in the United States during the reporting period? Yes

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? Yes

Were you a small entity at any time during the three years prior to the end of the reporting period?

Date that you ceased to be a small entity?

Company Information

Company Name: Etex Communications, LP d/b/a Etex Wireless

Brand Names: Etex Wireless

PO Box: 130

Street Address: 1013 State Highway 155 N

City: Gilmer

State: TX

Zip Code: 75644

Contact Name: Danny Kellar

Contact Phone: (903) 797-2711

Contact Fax: (903) 797-6666

Contact Email: dannyk@etexcoop.net

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? Yes

Agent Name: CHR Solutions

PO Box:

Street Address: 5929 Balcones Drive, Suite 200

City: Austin

State: TX

Contact Name: Dorothy A. Young
Contact Phone: (512) 343-2544
Contact Fax:
Contact Email: Dorothy.Young@chrsolutions.com

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that are capable of voice communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007 include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operations? Yes

Explain:

Do all hearing aid-compatible handsets that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

Yes

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

N/A

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Yes

Website address: www.etex.net

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: ETEX maintains a public website displaying its entire selection of handsets and devices, including those that are HAC-compliant. Sales staff is trained to assist existing and prospective customers in identifying HAC-compatible handsets and devices. Existing or prospective customers can find whether a handset or device is HAC-compliant by checking the packaging containing the device or by consulting the packaging insert or operations manual. Existing and prospective customers can also be directed to www.accesswireless.org/Disability-Categories/Hearing.aspx and other public websites dedicated to HAC education.

Methodology for Functionality Levels

ETEX offers HAC-compatible handsets and devices in the moderate (B) and high-end/feature rich (A) categories. Costs generally relate to the number of features, but, if through experience, ETEX finds that a certain handset

contains features that work well with hearing aids, such as volume control, it will be labeled accordingly at the high-end/feature rich level for functionality.

Report Remarks

You have reported the following handset model summary information.

Total number of handsets offered: 25

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Excluded Handsets	Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent	Number	
CDMA	20	80%	5	20%				25

Handset 1: Samsung R261

Handset Maker

Samsung

Handset Model Name

R261

FCC ID

A3LSCHR261A

Air Interfaces/Frequency Bands

850 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 10/11 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

B

Remarks

Handset 2: Samsung Showcase i500

Handset Maker

Samsung

Handset Model Name

Showcase i500

FCC ID

A3LSCHI500

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 05/11 to 12/12

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

A

Remarks

Handset 3: Samsung R580 Profile**Handset Maker**

Samsung

Handset Model Name**FCC ID**

R580 Profile

A3LSCHR580

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/11 to 12/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Moderate cost

Remarks

Handset 4: Motorola W845 Quantico

Handset Maker

Motorola

Handset Model Name

W845 Quantico

FCC ID

IHDT56KS1

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/11 to 12/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

B

Remarks

Handset 5: Motorola Milestone x2

Handset Maker

Motorola

Handset Model Name

Milestone x2

FCC ID

IHDT56MJ1

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 12/11 to 12/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

A

Remarks**Handset 6: Motorola VE440****Handset Maker**

Motorola

Handset Model Name**FCC ID**

VE440

IHDT56KY1

Air Interfaces/Frequency Bands

850 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/11 to 12/12

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

B

Remarks

Handset 7: Motorola Milestone

Handset Maker

Motorola

Handset Model Name

Milestone

FCC ID

IHDP56KC1

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/11 to 12/12

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

A

Remarks

Handset 8: Motorola Milestone Plus

Handset Maker

Motorola

Handset Model Name

Milestone Plus

FCC ID

IHDP56LK1

Air Interfaces/Frequency Bands

850 MHz CDMA
900 MHz CDMA
1800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 10/11 to 12/12

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

A

Remarks**Handset 9: HTC Desire****Handset Maker**

HTC

Handset Model Name**FCC ID**

Desire

NM8PB99400

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/11 to 12/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

A

Remarks

Handset 10: HTC Wildfire

Handset Maker

HTC

Handset Model Name

Wildfire

FCC ID

NM8PD06100

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/11 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

A

Remarks

Handset 11: LG AS855 Ignite

Handset Maker

LG

Handset Model Name

AS855 Ignite

FCC ID

BEJLS855

Air Interfaces/Frequency Bands

800 MHz CDMA
850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 12/11 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

A

Remarks**Handset 12: Motorola Grasp****Handset Maker**

Motorola

Handset Model Name**FCC ID**

Grasp

IHDT56LC1

Air Interfaces/Frequency Bands

850 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/11 to 12/12

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

B

Remarks

Handset 13: Motorola Milestone X

Handset Maker

Motorola

Handset Model Name

Milestone X

FCC ID

IHDT56LB1

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 03/11 to 12/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

A

Remarks

Handset 14: LG LG740 AXIS

Handset Maker

LG

Handset Model Name

LG740 AXIS

FCC ID

BEJVS740

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/11 to 12/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

A

Remarks**Handset 15: LG AN270****Handset Maker**

LG

Handset Model Name**FCC ID**

AN270

BEJVN270

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 11/11 to 12/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

B

Remarks

Handset 16: LG OPTIMUS S

Handset Maker

LG

Handset Model Name

OPTIMUS S

FCC ID

ZNFAS680

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 12/11 to 12/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

A

Remarks

Handset 17: LG 430 Wine2

Handset Maker

LG

Handset Model Name

430 Wine2

FCC ID

BEJUN430

Air Interfaces/Frequency Bands

800 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA
2100 MHz CDMA

Dates

This handset model was offered from: 01/11 to 12/12

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

B

Remarks**Handset 18: Research In Motion Blackberry Curve8530****Handset Maker**

Research In Motion

Handset Model Name**FCC ID**

Blackberry Curve8530

L6ARCL20CW

Air Interfaces/Frequency Bands

850 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/11 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

A

Remarks

Handset 19: Research In Motion Limited Blackberry Storm 2

Handset Maker

Research In Motion Limited

Handset Model Name

FCC ID

Blackberry Storm 2

L6ARCK70CW

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/11 to 12/12

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

A

Remarks

Handset 20: Research In Motion Blackberry Style9670

Handset Maker

Research In Motion

Handset Model Name

FCC ID

Blackberry Style9670

L6ARCU20CW

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 05/11 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

A

Remarks

Handset 21: Sony Ericsson Xperia Play**Handset Maker**

Sony Ericsson

Handset Model Name**FCC ID**

Xperia Play

PY7A6880004

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 12/11 to 12/12

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

A

Remarks

Handset 22: Research In Motion Tour

Handset Maker

Research In Motion

Handset Model Name

Tour

FCC ID

L6ARCF70CW

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/11 to 12/12

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

A

Remarks

Handset 23: Research In Motion Blackberry Bold 9650

Handset Maker

Research In Motion

Handset Model Name

Blackberry Bold 9650

FCC ID

L6ARCS70CW

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/11 to 12/12

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

A

Remarks**Handset 24: SONIM XP3400****Handset Maker**

SONIM

Handset Model Name**FCC ID**

XP3400

WYPC21F007AA

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 11/11 to 12/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

B

Remarks

Handset 25: HTC Merge

Handset Maker

HTC

Handset Model Name

Merge

FCC ID

NM8PD42100

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 02/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

A

Remarks

Certification

This Report has been certified by:

Dorothy A Young Authorized Representative
01/15/2013 11:05 AM